

MeRCuRR Solarium with LED spots

MeRCuRR solarium LED 230 / Article no. 20-5-05-10230



The MeRCuRR is built to the highest specification with a heat resistant, colored reinforced plastic body. Because of its compact shape the solarium is in combination with a washing place the ideal place to take of your horse. The front is raised to allow free movement of the horses neck and features rounded edges to avoid injury.A combination of 22 IR lamps and 4 circulation fans ensure an even and pleasant temperature over your horse. The 9 built-in LED spots provide sufficient light during grooming.

- Chamfered neck part
- Rounded edges
- Good heat partition
- Suitable for washroom
- ✓ Automatic Circulation air blower
- ✓ CE Marking

PROTECT AND PRESERVE YOUR HORSES HEALTH









Characteristics

Safety:

The Q-line® solaria have been finished with round sides and corners which excludes the chance your horse will get injured. The lamps are placed higher than the holders so that the horse can never come in to direct contact with the lamps.

Durability:

The Q-line® solaria use up to 40% less energy than competitive products and are remarkably environmentally friendly. The heat resistant plastic is insensitive to corrosion and ensure minimal heat loss and a high efficiency. The infrared lights in the Q-line® ® solaria are designed to be especially heat resistant and can endure great temperatures for extensive periods of time. These lamps can burn up to 5000 hours.

External characteristics:

The Q-line® ® solaria have a stylish appearance and smooth finishing. All solaria can be used directly and require no further assembly.

The fans automatically switch on at an internal temperature of 30 degrees C so that no cold air is blown over your horse. 9 built-in spots distributed over the entire bottom surface provide sufficient light during washing and cleaning.

Maintenance:

The Q-line® ® solaria require little to no maintenance. With our technologically advanced design and the choice of materials we have ensured that corrosion is kept to a minimum.

Quality mark:

All Q-line® solaria conform to the machine code 2006/42/EG and are fit with the CE norm. The Q-line® ® solaria are certified according to the NEN 3140 and Labor and health directive en hereby conform to all European safety demands

Q-LINE

Specifications

Length Width Thickness Weigth **Basic material** Colour Number of IR lamps **Power supply** Power usage Fuse with **IP** rating Air blower Suspension Suplied as standard **Quality mark** Transport weight **Transport size** Number of LED lamps

Contact details

Q-Line Equestrian B.V. Haarbrinksweg 47 7678 RS Geesteren Tel. +31(0)546633700 info@Q-Line.com www.q-line.com 190 cm 132 cm 40 cm 45Kg Reinforced heat resisting plastic Black / Silver Grey 22 x 150 Watt L+N+PE 230 Volt 3465 Watt 16 A IP 54 4x 90m3, automatic at 30grC 4x chains (1 meter) and swing hooks Power cable 10 mtr including plugs CE / NEN 3140 / OSH 65 kg 1 pallet 120x80x220 cm 9 x 5W 4000K