

Mercurr Solarium with LED spots and UV light

Mercurr solarium LED, UV 230 / Article no. 20-5-05-30230



PROTECT AND PRESERVE YOUR HORSES HEALTH



The MeRCuRR is built to the highest specification with a heatresistant, colored reinforced plastic body. Because of its compactshape the solarium is in combination with a washing place the idealplace to take of your horse. The front is raised to allow free movementof the horses neck and features rounded edges to avoid injury. Acombination of 22 IR lamps and 4 circulation fans ensure an even and pleasant temperature over your horse.

The 2 UV lamps are an excellent substitute for the sun. The radiators have a regulative effect on the vegetative nervous system and an increase in the elasticity and responsiveness of the Redox system. For the organism this means preservation and under certain circumstances even an increase in performance.

The 9 built-in LED spots provide sufficient light during grooming.

- Chamfered neck part
- Rounded edges
- Good heat partition
- Suitable for washroom
- ✓ Automatic Circulation air blower
- CE Marking







Characteristics

By using a high-quality infrared lamp (see downloads), a plastic body and plastic lamp holders, the efficiency of the solarium is much higher than the conventional solariums.

The lamps are placed higher than the bottom surfaces and cannot fall out of the fitting. This minimizes the chance of contact with the warm IR lamps.

The fans automatically switch on at an internal temperature of 30 degrees C so that no cold air is blown over your horse

The weight of the solarium is, by using light materials, very low and therefore easy and safe to use on any ceiling.

PROTECT AND PRESERVE YOUR HORSES HEALTH



The heat-resistant plastic is insensitive to corrosion.

9 built-in spots distributed over the entire bottom surface provide sufficient light during washing and cleaning.

The biological effect of the sun beams can be compared to a sports activity, improve the recovery capacity after heavy physical activity or illness and ensure reactivation of active substances, increase or regulation of blood calcium levels.

Q-LINE

Specifications

Length Width Thickness Weigth **Basic material** Colour Number of IR lamps **Power supply** Power usage Fuse with **IP** rating Air blower Suspension Suplied as standard **Quality mark** Transport weight **Transport size** Number of UV lamps Number of LED lamps

Contact details

Q-Line Equestrian B.V. Haarbrinksweg 47 7678 RS Geesteren Tel. +31(0)546633700 info@Q-Line.com www.q-line.com

190 cm 132 cm 40 cm 45Kg Reinforced heat resisting plastic Black / Silver Grey 18 x 150Watt, 2 x 100Watt L+N+PE 230 Volt 3665 Watt 16 A IP 54 4x 90m3, automatic at 30grC 4x chains (1 meter) and swing hooks Power cable 10 mtr including plugs CE / NEN 3140 / OSH 65 kg 1 pallet 120x80x220 cm 2 x 300W 9 x 5W 4000K