



# Mercurr Solarium

## with UV lights

Mercurr solarium UV 230 / Article no. 20-5-05-20230



The MeRCuRR is built to the highest specification with a heat resistant, colored reinforced plastic body. Because of its compact shape the solarium is in combination with a washing place the ideal place to take of your horse. The front is raised to allow free movement of the horses neck and features rounded edges to avoid injury. A combination of 22 IR lamps and 4 circulation fans ensure an even and pleasant temperature over your horse.

The 2 UV lamps are an excellent substitute for the sun. The radiators have a regulative effect on the vegetative nervous system and an increase in the elasticity and responsiveness of the Redox system. For the organism this means preservation and under certain circumstances even an increase in performance.

- ✓ Chamfered neck part
- ✓ Rounded edges
- ✓ Good heat partition
- ✓ Suitable for washroom
- ✓ Automatic Circulation air blower
- ✓ CE Marking



## Characteristics

By using a high-quality infrared lamp (see downloads), a plastic body and plastic lamp holders, the efficiency of the solarium is much higher than the conventional solariums. The lamps are placed higher than the bottom surfaces and cannot fall out of the fitting. This minimizes the chance of contact with the warm IR lamps.

The fans automatically switch on at an internal temperature of 30 degrees C so that no cold air is blown over your horse. The weight of the solarium is, by using light materials, very low and therefore easy and safe to use on any ceiling. The heat-resistant plastic is insensitive to corrosion.

The biological effect of the sun beams can be compared to a sports activity, improve the recovery capacity after heavy physical activity or illness and ensure reactivation of active substances, increase or regulation of blood calcium levels.



## Specifications

<b>Length</b>	190 cm
<b>Width</b>	132 cm
<b>Thickness</b>	40 cm
<b>Weigth</b>	45Kg
<b>Basic material</b>	Reinforced heat resisting plastic
<b>Colour</b>	Black / Silver Grey
<b>Number of IR lamps</b>	18 x 150 Watt, 2 x 100 Watt
<b>Power supply</b>	L+N+PE 230 Volt
<b>Power usage</b>	3620 Watt
<b>Fuse with</b>	16 A
<b>IP rating</b>	IP 54
<b>Air blower</b>	4x 90m3, automatic at 30grC
<b>Suspension</b>	4x chains (1 meter) and swing hooks
<b>Suplied as standard</b>	Power cable 10 mtr including plugs
<b>Quality mark</b>	CE / NEN 3140 / OSH
<b>Transport weight</b>	65 kg
<b>Transport size</b>	1 pallet 120x80x220 cm
<b>Number of UV lamps</b>	2 x 300W

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546633700

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)