



Safety Wall arena kickwall

In any desired RAL color

Sublime panel / Article no. 30-4-10-01002





Nowadays, riding schools have to meet many safety requirements and that is understandable because in an indoor arena, people sometimes drive fast and this is not always harmless. The walls are often covered with wood or steel and can cause nasty injuries to horse and rider in the event of a collision.

The Safety Wall indoor arena kick wall, specially developed by Q-Line, significantly increases safety in riding schools. The lightweight synthetic Safety Wall kick wall is shock and impact absorbent and offers the horse and rider protection on contact. The synthetic material of the Q-line® Safety Wall has been specially developed and produced according to the highest standards and technological standards so that it can offer you and your horse optimal protection.

The Safety Wall is waterproof and can withstand all mechanical loads. The special synthetic material and smooth finish makes the Safety Wall difficult to damage and will last a lifetime.

Due to the flat back, mounting against a framework or wall is very easy and quick to carry out.

- ✓ Impact resistant
- ✓ 5 year warranty (carry in basis)
- ✓ Completely recyclable
- ✓ Shock absorbing
- ✓ Water resistant
- ✓ Easy to clean



Characteristics

Safety:

Due to the smooth surface and shock absorption of the Q-line® Safety Wall, you and your horse are perfectly protected against contact with the side walls of the equestrian center

Durability:

The Safety Wall Basic panels are made of a special waterproof and shock-absorbing recycled synthetic material for use in riding schools and will last a lifetime. resistant.

Appearance:

Obtaining a stylish design in every possible RAL color gives you the opportunity to give your own taste and style to the look of the arena.



Maintenance:

Due to the smooth surfaces and non-stick properties, dirt and dust will not stick on the Safety Wall. You can keep the Safety Wall clean quickly and easily by simply rinsing it.

Easy to assemble:

The Q-line® Safety Wall is designed to be particularly user-friendly. With a few mounting points, it is easy to install on the wall of the riding school without any technical knowledge.



Accessory



Gate 1 panel



Gate 2 panels



Gate 3 panels




Fixing for wood




Fixing for steel



Fixing for brick or concrete



Sublime corner



Sublime endpiece set



Specifications

Basic material	Shock proof synthetic HDPE
Height	141 cm
Width	94,5 cm
Thickness	23 cm
Weight	7,7 kg
Colour	RAL xxxx
Quality mark	DIN EN 13501-1:2010-01
Fixings	Optional depending on background
Transport weight	Full pallet 34 pcs 325 kg
Transport size	150 x 100 x 225 cm

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546633700

info@Q-Line.com

www.q-line.com